BRAIN RESEARCH

VOL. 713 NO. 1,2 **CONTENTS** **25 MARCH 1996**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Guidelines for the submission of manuscripts v

Publisher's Note vii

Research reports

Medial septal injection of naloxone elevates acetylcholine release in the hippocampus and induces behavioral seizures in rats
T. Mizuno and F. Kimura (Japan) 1

2D-PAGE Analysis: adrenergically regulated pineal protein AIP 37/6 is a phosphorylated isoform of cytosolic malate dehydrogenase
J.L. Weller, H. Jaffe, P.H. Roseboom, M.J. Zylka and D.C. Klein (USA) 8

Effect of lesions of forebrain circumventricular organs on *c*-fos expression in the central nervous system to plasma hypernatremia
S.L. Hochstenbach and J. Ciriello (Canada) 17

Antagonists have a greater selectivity for muscarinic receptor subtypes in intact cerebellar granule cells than in membranes
P.A. Saunders, C.J. Hough and D.-M. Chuang (USA) 29

Effects of unilateral or bilateral lesions within the anteroventral third ventricular region on c-*fos* expression induced by dehydration or angiotensin II in the supraoptic and paraventricular nuclei of the hypothalamus
Z. Xu and J. Herbert (UK) 36

Effects of haloperidol on the activity and membrane physiology of substantia nigra dopamine neurons recorded in vitro
M.L. Pucak and A.A. Grace (USA) 44

SC1, A SPARC-related glycoprotein, exhibits features of an ECM component in the developing and adult brain
D.B. Mendis, S. Shahin, J.W. Gurd and I.R. Brown (Canada) 53

Expression of inducible cyclooxygenase mRNA in the mouse brain after systemic administration of bacterial lipopolysaccharide
C.D. Breder and C.B. Saper (USA) 64

Modulatory action of dopamine on acetylcholine-responsive striatal and accumbal neurons in awake, unrestrained rats
E.A. Kiyatkin and G.V. Rebec (USA) 70

Neuroanatomical characterization of Fos induction in rat behavioral models of anxiety
G.E. Duncan, D.J. Knapp and G.R. Breese (USA) 79

Effect of 6*R*-L-erythro-5,6,7,8-tetrahydrobiopterin and infusion of L-tyrosine on the in vivo L-[β-^{11}C]DOPA disposition in the monkey brain
H. Tsukada, K.-J. Lindner, P. Hartvig, Y. Tani, J. Valtysson, P. Bjurling, T. Kihlberg, G. Westerberg, Y. Watanabe and B. Långström (Japan, Sweden) 92

Differential and persistent expression patterns of CNS gene transfer by an adeno-associated virus (AAV) vector
T.J. McCown, X. Xiao, J. Li, G.R. Breese and R.J. Samulski (USA) 99

Effects of fluoxetine and olfactory bulbectomy on mouse circadian activity rhythms
B. Possidente, A.R. Lumia, M.Y. McGinnis, M. Rapp and S. McEldowney (USA) 108

Effect of nucleus accumbens dopamine depletion on motivational aspects involved in initiation of cocaine and heroin self-administration in rats
M.A.F.M. Gerrits and J.M. Van Ree (The Netherlands) 114

Regulation of tyrosine hydroxylase and tetrahydrobiopterin biosynthetic enzymes in PC12 cells by NGF, EGF and IFN-γ
P.Z. Anastasiadis, D.M. Kuhn, J. Blitz, B.A. Imerman, M.C. Louie and R.A. Levine (USA) 125

Electrophysiological actions of hemoglobin on rat hippocampal CA1 pyramidal neurons
S. Yip, J.K.H. Ip and B.R. Sastry (Canada) 134

Interleukin-6 released in human cerebrospinal fluid following traumatic brain injury may trigger nerve growth factor production in astrocytes
T. Kossmann, V. Hans, H.-G. Imhof, O. Trentz and M.C. Morganti-Kossmann (Switzerland) 143

The role of limbic vasopressin and oxytocin in social recognition
Tj.B. Van Wimersma Greidanus and C. Maigret (The Netherlands) 153

Tachykinins cause inward current through NK_1 receptors in bullfrog sensory neurons
T. Akasu, M. Ishimatsu and K. Yamada (Japan) 160

Distribution of NADPH-diaphorase in the central nervous system of an infrared-sensitive snake, *Trimeresurus flavoviridis*
P.-J. Jiang and S.-i. Terashima (Japan) 168

NGF, BDNF and NT-5, but not NT-3 protect against MPP^+ toxicity and oxidative stress in neonatal animals
P.B. Kirschner, B.G. Jenkins, J.B. Schulz, S.P. Finkelstein, R.T. Matthews, B.R. Rosen and M.F. Beal (USA) 178

Acceleration deficit in patients with cerebellar lesions. A study of kinematic and EMG-parameters in fast wrist movements
B. Wild, T. Klockgether and J. Dichgans (Germany) 186

Selective induction of interleukin-6 in mouse microglia by granulocyte-macrophage colony-stimulating factor
A. Suzumura, M. Sawada and T. Marunouchi (Japan) 192

(contents continued on p. 300)

0006-8993(19960325)713:1/2;1-W

BRAIN RESEARCH

VOL. 713 NO. 1,2 **CONTENTS** **25 MARCH 1996**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Guidelines for the submission of manuscripts v

Publisher's Note vii

Research reports

Medial septal injection of naloxone elevates acetylcholine release in the hippocampus and induces behavioral seizures in rats
T. Mizuno and F. Kimura (Japan) 1

2D-PAGE Analysis: adrenergically regulated pineal protein AIP 37/6 is a phosphorylated isoform of cytosolic malate dehydrogenase
J.L. Weller, H. Jaffe, P.H. Roseboom, M.J. Zylka and D.C. Klein (USA) 8

Effect of lesions of forebrain circumventricular organs on *c*-fos expression in the central nervous system to plasma hypernatremia
S.L. Hochstenbach and J. Ciriello (Canada) 17

Antagonists have a greater selectivity for muscarinic receptor subtypes in intact cerebellar granule cells than in membranes
P.A. Saunders, C.J. Hough and D.-M. Chuang (USA) 29

Effects of unilateral or bilateral lesions within the anteroventral third ventricular region on c-*fos* expression induced by dehydration or angiotensin II in the supraoptic and paraventricular nuclei of the hypothalamus
Z. Xu and J. Herbert (UK) 36

Effects of haloperidol on the activity and membrane physiology of substantia nigra dopamine neurons recorded in vitro
M.L. Pucak and A.A. Grace (USA) 44

SC1, A SPARC-related glycoprotein, exhibits features of an ECM component in the developing and adult brain
D.B. Mendis, S. Shahin, J.W. Gurd and I.R. Brown (Canada) 53

Expression of inducible cyclooxygenase mRNA in the mouse brain after systemic administration of bacterial lipopolysaccharide
C.D. Breder and C.B. Saper (USA) 64

Modulatory action of dopamine on acetylcholine-responsive striatal and accumbal neurons in awake, unrestrained rats
E.A. Kiyatkin and G.V. Rebec (USA) 70

Neuroanatomical characterization of Fos induction in rat behavioral models of anxiety
G.E. Duncan, D.J. Knapp and G.R. Breese (USA) 79

Effect of 6*R*-L-erythro-5,6,7,8-tetrahydrobiopterin and infusion of L-tyrosine on the in vivo L-[β-^{11}C]DOPA disposition in the monkey brain
H. Tsukada, K.-J. Lindner, P. Hartvig, Y. Tani, J. Valtysson, P. Bjurling, T. Kihlberg, G. Westerberg, Y. Watanabe and B. Långström (Japan, Sweden) 92

Differential and persistent expression patterns of CNS gene transfer by an adeno-associated virus (AAV) vector
T.J. McCown, X. Xiao, J. Li, G.R. Breese and R.J. Samulski (USA) 99

Effects of fluoxetine and olfactory bulbectomy on mouse circadian activity rhythms
B. Possidente, A.R. Lumia, M.Y. McGinnis, M. Rapp and S. McEldowney (USA) 108

Effect of nucleus accumbens dopamine depletion on motivational aspects involved in initiation of cocaine and heroin self-administration in rats
M.A.F.M. Gerrits and J.M. Van Ree (The Netherlands) 114

Regulation of tyrosine hydroxylase and tetrahydrobiopterin biosynthetic enzymes in PC12 cells by NGF, EGF and IFN-γ
P.Z. Anastasiadis, D.M. Kuhn, J. Blitz, B.A. Imerman, M.C. Louie and R.A. Levine (USA) 125

Electrophysiological actions of hemoglobin on rat hippocampal CA1 pyramidal neurons
S. Yip, J.K.H. Ip and B.R. Sastry (Canada) 134

Interleukin-6 released in human cerebrospinal fluid following traumatic brain injury may trigger nerve growth factor production in astrocytes
T. Kossmann, V. Hans, H.-G. Imhof, O. Trentz and M.C. Morganti-Kossmann (Switzerland) 143

The role of limbic vasopressin and oxytocin in social recognition
Tj.B. Van Wimersma Greidanus and C. Maigret (The Netherlands) 153

Tachykinins cause inward current through NK_1 receptors in bullfrog sensory neurons
T. Akasu, M. Ishimatsu and K. Yamada (Japan) 160

Distribution of NADPH-diaphorase in the central nervous system of an infrared-sensitive snake, *Trimeresurus flavoviridis*
P.-J. Jiang and S.-i. Terashima (Japan) 168

NGF, BDNF and NT-5, but not NT-3 protect against MPP^+ toxicity and oxidative stress in neonatal animals
P.B. Kirschner, B.G. Jenkins, J.B. Schulz, S.P. Finkelstein, R.T. Matthews, B.R. Rosen and M.F. Beal (USA) 178

Acceleration deficit in patients with cerebellar lesions. A study of kinematic and EMG-parameters in fast wrist movements
B. Wild, T. Klockgether and J. Dichgans (Germany) 186

Selective induction of interleukin-6 in mouse microglia by granulocyte-macrophage colony-stimulating factor
A. Suzumura, M. Sawada and T. Marunouchi (Japan) 192

(contents continued on p. 300)

0006-8993(19960325)713:1/2;1-W

(contents continued)

Temporal profile of nerve growth factor-like immunoreactivity after transient focal cerebral ischemia in rats
T.-H. Lee, H. Kato, K. Kogure and Y. Itoyama (Japan) 199
Heme-oxygenase-1 induction in glia throughout rat brain following experimental subarachnoid hemorrhage
P. Matz, C. Turner, P.R. Weinstein, S.M. Massa, S.S. Panter and F.R. Sharp (USA) 211
Central projections and entries of capsaicin-sensitive muscle afferents
G. Della Torre, M.L. Lucchi, O. Brunetti, V.E. Pettorossi, P. Clavenzani and R. Bortolami (Italy) 223
Arginine vasopressin reduces the blood–brain transfer of L-tyrosine and L-valine: further evidence of the effect of the peptide on the L-system transporter at the blood–brain barrier
A. Reichel, D.J. Begley and A. Ermisch (Germany, UK) 232
Lipoprotein that selectively inhibits taste nerve responses to bitter substances
Y. Katsuragi, T. Yasumasu and K. Kurihara (Japan) 240
FR discrimination training reverses 6-hydroxydopamine-induced striatal dopamine depletion in a rat model of Lesch-Nyhan syndrome
C.J. Stodgell, S.R. Schroeder and R.E. Tessel (USA) 246
Brainstem stimulation during sleep evokes abnormal rhythmic activity in thalamic neurons in feline penicillin epilepsy
R. Szymusiak, M.N. Shouse and D. McGinty (USA) 253
Norepinephrine depletion impairs neuroendocrine responses to fear but not novel environmental stimuli in the rat
T. Onaka, J.R. Palmer and K. Yagi (Japan, USA) 261
Contribution of plasma membrane and endoplasmic reticulum Ca^{2+}-ATPases to the synaptosomal $[Ca^{2+}]_i$ increase during oxidative stress
C. Pereira, C. Ferreira, C. Carvalho and C. Oliveira (Portugal) 269
Immunocytochemical localization of polyamines in the tiger salamander retina
T.L. Valentino, P.D. Lukasiewicz and C. Romano (USA) 278
Amygdala lesions block the effect of cocaine on memory in mice
V. Cestari, A. Mele, A. Oliverio and C. Castellano (Italy) 286

Short communications

Gene expression of ND4, a subunit of complex I of oxidative phosphorylation in mitochondria, is decreased in temporal cortex of brains of Alzheimer's disease patients
R. Fukuyama, K. Hatanpää, S.I. Rapoport and K. Chandrasekaran (USA) 290
Ibogaine-like effects of noribogaine in rats
S.D. Glick, S.M. Pearl, J. Cai and I.M. Maisonneuve (USA) 294

Author Index 298